

STOCKAGE

SYSTEM



WAREHOUSE BINS



WAREHOUSE BINS

Storage 2000 Series "Colour"

- ▶ Stackable linbins for small parts, made from High Density Polyethylene
- ▶ Reinforcing ribs on lateral sides for stable and secure stacking
- ▶ Built-in label holder for a clear and easy labelling
- ▶ Optional cabinets and carriages available
- ▶ **Different colours for easy identification: red, yellow, green, blue, grey**
- ▶ Applications: company car design, warehouse, industry, automotive, logistics, food industry, ...
- ▶ Full width lip for secure locating to wall panels (louvre panels)
- ▶ On demand: ESD safe linbins



PB-S-2001	HDPE
Ext. dim.	D 90 x W 103 x H 55 mm
Capacity	0,40 litre
Colours	● ● ● ● ●
Label	45 x 10 mm
Packing	100 pcs/box - 3000 pcs/pallet



PB-S-2001/B	HDPE
Ext. dim.	D 120 x W 103 x H 62 mm
Capacity	0,75 litre
Colours	● ● ● ● ●
Label	50 x 15 mm
Packing	100 pcs/box - 3000 pcs/pallet



PB-S-2002	HDPE
Ext. dim.	D 165 x W 103 x H 83 mm
Capacity	1 litre
Colours	● ● ● ● ●
Label	55 x 17 mm
Packing	48 pcs/box - 1728 pcs/pallet



PB-S-2003	HDPE
Ext. dim.	D 240 x W 145 x H 125 mm
Capacity	3,50 litres
Colours	● ● ● ● ●
Label	74 x 28 mm
Packing	38 pcs/box - 760 pcs/pallet



PB-S-2004	HDPE
Ext. dim.	D 345 x W 207 x H 165 mm
Capacity	10 litres
Colours	● ● ● ● ●
Label	94 x 28 mm
Packing	20 pcs/box - 160 pcs/pallet



PB-S-2005	HDPE
Ext. dim.	D 485 x W 303 x H 190 mm
Capacity	30 litres
Colours	● ● ● ● ●
Label	94 x 33 mm
Packing	12 pcs/box - 96 pcs/pallet



PB-S-2006	HDPE
Ext. dim.	D 580 x W 363 x H 250 mm
Capacity	52 litres
Colours	● ● ● ● ●
Label	94 x 28 mm
Packing	4 pcs/box - 48 pcs/pallet




PB-S-2002/L	HDPE
Ext. dim.	D 240 x W 103 x H 83 mm
Capacity	2 litres
Colours	● ● ● ● ●
Label	53 x 18 mm
Packing	28 pcs/box - 1008 pcs/pallet



PB-S-2003/L	HDPE
Ext. dim.	D 335 x W 145 x H 125 mm
Capacity	6 litres
Colours	● ● ● ● ●
Label	70 x 30 mm
Packing	16 pcs/box - 352 pcs/pallet



Full width lip



WAREHOUSE BINS

Storage 2000 Series - "Black"

- ▶ Stackable linbins for small parts, made from High Density Polyethylene
- ▶ Reinforcing ribs on lateral sides for stable and secure stacking
- ▶ Built-in label holder for a clear and easy labelling
- ▶ Optional cabinets and carriages available
- ▶ **Storage 2000 Series - "Black" compatible with coloured versions**
- ▶ Applications: company car design, warehouse, industry, automotive, logistics, food industry, ...
- ▶ Full width lip for secure locating to wall panels - louver panels (see next page)
- ▶ On demand: ESD safe linbins



PB-S-2002-B	HDPE
Ext. dim.	D 165 x W 103 x H 83 mm
Capacity	1 litre
Colour	●
Label	55 x 17 mm
Packing	48 pcs/box - 1728 pcs/pallet



PB-S-2003-B	HDPE
Ext. dim.	D 240 x W 145 x H 125 mm
Capacity	3,50 litres
Colour	●
Label	74 x 28 mm
Packing	38 pcs/box - 760 pcs/pallet



PB-S-2004-B	HDPE
Ext. dim.	D 345 x W 207 x H 165 mm
Capacity	10 litres
Colour	●
Label	94 x 28 mm
Packing	20 pcs/box - 160 pcs/pallet



PB-S-2005-B	HDPE
Ext. dim.	D 485 x W 303 x H 190 mm
Capacity	30 litres
Colour	●
Label	94 x 33 mm
Packing	12 pcs/box - 96 pcs/pallet



On demand

ESD safe warehouse bins
 Colour: black
 Matter: PP (conductive)
 Surface resistance: 3×10^2 OHM
 5 types



LARGE WAREHOUSE LINBINS

Storage 3000 Series

- ▶ Stackable warehouse bins made from polystyrene
- ▶ **Extra large and solid, with an open front for daily use in warehouses, production facilities, ...**
- ▶ High load capacity thanks to special structure
- ▶ With 2 labelholders on the front (labels not included; dim. 90 x 40 mm)
- ▶ Can be attached (on the sides) to each other for more order, sturdiness and stability
- ▶ Standard colour: green. Grey only available on demand



PB-5KS	PS
Ext. dim.	D 580 x W 385 x H 250 mm
Capacity	+/- 50 litres
Colours	● (● on demand)
Packing	32 pcs/pallet



PB-5KSD	PS
Ext. dim.	D 710 x W 450 x H 300 mm
Capacity	+/- 90 litres
Colours	● (● on demand)
Packing	28 pcs/pallet

WALL PANELS AND TROLLEYS

Storage 2000 Series

- ▶ Wall panels and mobile trolleys for warehouse bins from series Storage 2000
- ▶ Colour: red powder-painted metal
- ▶ Easy mounting on wall panel thanks to full width lip on the back of each linbin




PB-MP45	METL
Metal wall panel for:	
PB-S-2001 - PB-S-2001/B;	
PB-S-2002 - PB-S-2002-B	
(linbins not included)	
Ext. dim.	D 15 x W 495 x H 455 mm
Colours	● RAL 3002
Packing	per piece



PB-MP90	METL
Metal wall panel for:	
PB-S-2001 - PB-S-2001/B;	
PB-S-2002 - PB-S-2002-B;	
PB-S-2003 - PB-S-2003-B	
(linbins not included)	
Ext. dim.	D 15 x W 1000 x H 455 mm
Colours	● RAL 3002
Packing	per piece



Example
MP90



PB-MP30CK	METL
Metal mobile storage trolley, 1 castor with brake (2 swivel casters - 2 standard casters - galvanized forks). Equipped with: 16x PB-S-2001 yellow / 32x PB-S-2002 green / 12x PB-S-2003 red	
Ext. dim.	D 610 x W 610 x H 1300 mm
Colours	● RAL 3002
Packing	Delivered as a construction kit linbins included



PB-MP60K	METL
Metal mobile storage trolley, 1 castor with brake (2 swivel casters - 2 standard casters - galvanized forks). Equipped with: 32x PB-S-2001 yellow / 64x PB-S-2002 green / 24x PB-S-2003 red	
Ext. dim.	D 610 x W 1060 x H 1300 mm
Colours	● RAL 3002
Packing	Delivered as a construction kit linbins included



MORTAR TROUGHS



MORTAR TROUGHS

Premium Line / Eco Line / Profi Line - 200 litres

CONSTRUCTION


- ▶ Specifically for large volumes
- ▶ Large rounded corners for easy cleaning
- ▶ Equipped with **flot-out crane lugs** and a reinforced upper edge
- ▶ Never drag the trough, especially not when loaded



PREMIUM LINE



07* 

PB-1220016-C*	HDPE
Premium type. Flot-out crane lugs, reinforced corners and upper edge	
Ext. dim.	L 1000 x W 700 x H 465 mm
Capacity	200 litres
Colours	
Weight	15,5 kg
Packing	25 pcs/pallet
Info	<ul style="list-style-type: none"> • TÜV/GS approved / CE-calibrated • Coated frame/triangular lugs • Max. charge: 500 kg




 Flot-out crane lugs

PROFI LINE



08*

PB-1220016*	PE
Profi Line type. Flot-out crane lugs, reinforced base and upper edge	
Ext. dim.	L 1050 x W 700 x H 460 mm
Capacity	200 litres
Colours	
Weight	15,5 kg
Packing	25 pcs/pallet
Info	<ul style="list-style-type: none"> • EU certified • Coated frame/round lugs • Rotomoulding technique • Max. charge: 400 kg



RAL1003



RAL6002



RAL5003



RAL3020

★ HINT

PRINTING

Logo / Name (hotstamp):
starting from 25 pieces

Logo and numbers:
starting from 25 pieces

STACKING CONTAINERS



EURONORM STACKING CONTAINERS

200 x 100 / 300 x 200 mm - Coloured, standard - 'SCT' SERIES



- ▶ Closed base and sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible



PB-2112-SCT	PP
Ext. dim.	L 200 x W 100 x H 120 mm
Int. dim.	L 155 x W 57 x H 110 mm
Capacity	0,97 litres
Weight	0,19 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	544 pcs/pallet



PB-2020-VD	PP
Ext. dim.	L 200 x W 100 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-2020-SD	PP
Ext. dim.	L 200 x W 100 mm
Type	Hinged lid
Weight	0,17 kg
Colours	●
Packing	40 pcs/box
Clips	1 set of clips included



PB-3207-SCT	PP
Ext. dim.	L 300 x W 200 x H 75 mm
Int. dim.	L 255 x W 157 x H 65 mm
Capacity	2,7 litres
Weight	0,33 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	210 pcs/pallet



PB-3214-SCT	PP
Ext. dim.	L 300 x W 200 x H 145 mm
Int. dim.	L 252 x W 152 x H 133 mm
Capacity	5,5 litres
Weight	0,45 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	80 pcs/pallet



PB-3020-VD	PP
Ext. dim.	L 300 x W 200 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-3020-SD	PP
Ext. dim.	L 300 x W 200 mm
Type	Hinged lid
Weight	0,17 kg
Colours	●
Packing	40 pcs/box
Clips	1 set of clips included



On demand: marking



EURONORM STACKING CONTAINERS

400 x 300 mm - Coloured, standard - 'SCT' SERIES



- ▶ Closed base and sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible



PB-4305-SCT	PP
Ext. dim.	L 400 x W 300 x H 50 mm
Int. dim.	L 356 x W 255 x H 40 mm
Capacity	4,6 litres
Weight	0,4 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	240 pcs/pallet



PB-4307-SCT	PP
Ext. dim.	L 400 x W 300 x H 75 mm
Int. dim.	L 356 x W 255 x H 65 mm
Capacity	7 litres
Weight	0,46 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	160 pcs/pallet



PB-4312-SCT	PP
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 356 x W 255 x H 110 mm
Capacity	10 litres
Weight	0,60 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	144 pcs/pallet



PB-4314-SCT	PP
Ext. dim.	L 400 x W 300 x H 145 mm
Int. dim.	L 356 x W 255 x H 133 mm
Capacity	13 litres
Weight	0,69 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-4317-SCT	PP
Ext. dim.	L 400 x W 300 x H 175 mm
Int. dim.	L 356 x W 255 x H 165 mm
Capacity	15 litres
Weight	0,78 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	96 pcs/pallet



PB-4321-SCT	PP
Ext. dim.	L 400 x W 300 x H 210 mm
Int. dim.	L 356 x W 255 x H 200 mm
Capacity	19 litres
Weight	0,85 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	72 pcs/pallet



PB-4327-SCT	PP
Ext. dim.	L 400 x W 300 x H 270 mm
Int. dim.	L 356 x W 255 x H 255 mm
Capacity	24 litres
Weight	0,97 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	64 pcs/pallet



PB-4332-SCT	PP
Ext. dim.	L 400 x W 300 x H 320 mm
Int. dim.	L 356 x W 255 x H 305 mm
Capacity	29 litres
Weight	1,34 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	48 pcs/pallet



PB-4030-VD	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,37 kg
Colours	● ● ● ● ● ●
Packing	4 pcs/box



PB-4030-SD	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,37 kg
Colour	●
Packing	20 pcs/box
Clips	1 set of clips included

EURONORM STACKING CONTAINERS

600 x 400 mm - Coloured, standard - 'SCT' SERIES

RAINBOW food safe

- ▶ Closed base and sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible

Closed base and sides
SCT SERIES



PB-6405-SCT	PP
Ext. dim.	L 600 x W 400 x H 50 mm
Int. dim.	L 551 x W 352 x H 40 mm
Capacity	9,5 litres
Weight	0,85 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-6407-SCT	PP
Ext. dim.	L 600 x W 400 x H 75 mm
Int. dim.	L 551 x W 352 x H 65 mm
Capacity	14,7 litres
Weight	1,02 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	80 pcs/pallet



PB-6412-SCT	PP
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 551 x W 352 x H 110 mm
Capacity	22 litres
Weight	1,34 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	72 pcs/pallet



PB-6414-SCT	PP
Ext. dim.	L 600 x W 400 x H 145 mm
Int. dim.	L 551 x W 352 x H 133 mm
Capacity	26 litres
Weight	1,34 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	60 pcs/pallet



PB-6417-SCT	PP
Ext. dim.	L 600 x W 400 x H 175 mm
Int. dim.	L 551 x W 352 x H 165 mm
Capacity	33 litres
Weight	1,61 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	48 pcs/pallet



PB-6421-SCT	PP
Ext. dim.	L 600 x W 400 x H 210 mm
Int. dim.	L 551 x W 352 x H 200 mm
Capacity	40 litres
Weight	1,66 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	40 pcs/pallet



PB-6427-SCT	PP
Ext. dim.	L 600 x W 400 x H 270 mm
Int. dim.	L 551 x W 352 x H 255 mm
Capacity	51 litres
Weight	1,97 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	32 pcs/pallet



PB-6432-SCT	PP
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 551 x W 352 x H 305 mm
Capacity	61 litres
Weight	2,50 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	24 pcs/pallet




PB-6040-VD	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,75 kg
Colours	● ● ● ● ● ●
Packing	4 pcs/box



PB-6040-SD	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,75 kg
Colour	●
Packing	20 pcs/box
Clips	1 set of clips included

EURONORM 600 X 400 - PALLET ORDERING PLAN



EURONORM STACKING CONTAINERS

200 x 100 / 300 x 200 mm - Coloured, standard - 'SPT' SERIES



- ▶ Closed base, vented sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible

Closed base,
vented sides
SPT SERIES



PB-2112-SPT	PP
Ext. dim.	L 200 x W 100 x H 120 mm
Int. dim.	L 152 x W 52 x H 110 mm
Capacity	0,97 litres
Weight	0,18 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	544 pcs/pallet



PB-2020-VD	PP
Ext. dim.	L 200 x W 100 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-2020-SD	PP
Ext. dim.	L 200 x W 100 mm
Type	Hinged lid
Weight	0,17 kg
Colours	●
Packing	40 pcs/box
Clips	1 set of clips included



PB-3214-SPT	PP
Ext. dim.	L 300 x W 200 x H 145 mm
Int. dim.	L 252 x W 152 x H 133 mm
Capacity	5,5 litres
Weight	0,40 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	80 pcs/pallet



PB-3020-VD	PP
Ext. dim.	L 300 x W 200 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-3020-SD	PP
Ext. dim.	L 300 x W 200 mm
Type	Hinged lid
Weight	0,17 kg
Colours	●
Packing	40 pcs/box
Clips	1 set of clips included




On demand: ESD SAFE CONTAINERS
600 x 400 - 400 x 300 - 300 x 200 mm
The best solution for electronic components

EURONORM STACKING CONTAINERS 400 x 300 mm - Coloured, standard - 'SPT' SERIES

RAINBOW food safe

- ▶ Closed base, vented sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible



Closed base,
vented sides

SPT SERIES



PB-4305-SPT	PP
Ext. dim.	L 400 x W 300 x H 50 mm
Int. dim.	L 356 x W 255 x H 40 mm
Capacity	4,6 litres
Weight	0,38 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	240 pcs/pallet



PB-4307-SPT	PP
Ext. dim.	L 400 x W 300 x H 75 mm
Int. dim.	L 356 x W 255 x H 65 mm
Capacity	7 litres
Weight	0,46 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	160 pcs/pallet



PB-4312-SPT	PP
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 356 x W 255 x H 110 mm
Capacity	10 litres
Weight	0,56 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	144 pcs/pallet



PB-4314-SPT	PP
Ext. dim.	L 400 x W 300 x H 145 mm
Int. dim.	L 356 x W 255 x H 133 mm
Capacity	13 litres
Weight	0,62 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-4317-SPT	PP
Ext. dim.	L 400 x W 300 x H 175 mm
Int. dim.	L 356 x W 255 x H 165 mm
Capacity	15 litres
Weight	0,65 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	96 pcs/pallet



PB-4321-SPT	PP
Ext. dim.	L 400 x W 300 x H 210 mm
Int. dim.	L 356 x W 255 x H 200 mm
Capacity	19 litres
Weight	0,75 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	72 pcs/pallet



PB-4327-SPT	PP
Ext. dim.	L 400 x W 300 x H 270 mm
Int. dim.	L 356 x W 255 x H 255 mm
Capacity	24 litres
Weight	0,84 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	64 pcs/pallet



PB-4332-SPT	PP
Ext. dim.	L 400 x W 300 x H 320 mm
Int. dim.	L 356 x W 255 x H 305 mm
Capacity	29 litres
Weight	1,12 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	48 pcs/pallet



PB-4030-VD	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,37 kg
Colours	● ● ● ● ● ● ● ●
Packing	4 pcs/box



PB-4030-SD	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,37 kg
Colour	●
Packing	20 pcs/box
Clips	1 set of clips included

EURONORM STACKING CONTAINERS

600 x 400 mm - Coloured, standard - 'SPT' SERIES



- ▶ Closed base, vented sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible



PB-6405-SPT	PP
Ext. dim.	L 600 x W 400 x H 50 mm
Int. dim.	L 551 x W 352 x H 40 mm
Capacity	9,5 litres
Weight	0,85 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-6407-SPT	PP
Ext. dim.	L 600 x W 400 x H 75 mm
Int. dim.	L 551 x W 352 x H 65 mm
Capacity	14,7 litres
Weight	1,02 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	80 pcs/pallet



PB-6412-SPT	PP
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 551 x W 352 x H 110 mm
Capacity	22 litres
Weight	1,25 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	72 pcs/pallet



PB-6414-SPT	PP
Ext. dim.	L 600 x W 400 x H 145 mm
Int. dim.	L 551 x W 352 x H 133 mm
Capacity	26 litres
Weight	1,20 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	60 pcs/pallet



PB-6417-SPT	PP
Ext. dim.	L 600 x W 400 x H 175 mm
Int. dim.	L 551 x W 352 x H 165 mm
Capacity	33 litres
Weight	1,42 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	48 pcs/pallet



PB-6421-SPT	PP
Ext. dim.	L 600 x W 400 x H 210 mm
Int. dim.	L 551 x W 352 x H 200 mm
Capacity	40 litres
Weight	1,44 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	40 pcs/pallet



PB-6427-SPT	PP
Ext. dim.	L 600 x W 400 x H 270 mm
Int. dim.	L 551 x W 352 x H 255 mm
Capacity	51 litres
Weight	1,72 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	32 pcs/pallet



PB-6432-SPT	PP
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 551 x W 352 x H 305 mm
Capacity	61 litres
Weight	2,00 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	24 pcs/pallet



PB-6040-VD	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,75 kg
Colours	● ● ● ● ● ● ● ●
Packing	4 pcs/box



PB-6040-SD	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,75 kg
Colour	●
Packing	20 pcs/box
Clips	1 set of clips included

EURONORM STACKING CONTAINERS

200 x 100 / 300 x 200 mm - Coloured, standard - 'BPT' SERIES



- ▶ Vented base and sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible



PB-2112-BPT	PP
Ext. dim.	L 200 x W 100 x H 120 mm
Int. dim.	L 152 x W 52 x H 110 mm
Capacity	0,97 litres
Weight	0,18 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	544 pcs/pallet



PB-2020-VD	PP
Ext. dim.	L 200 x W 100 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-2020-SD	PP
Ext. dim.	L 200 x W 100 mm
Type	Hinged lid
Weight	0,17 kg
Colours	●
Packing	40 pcs/box
Clips	1 set of clips included



PB-3214-BPT	PP
Ext. dim.	L 300 x W 200 x H 145 mm
Int. dim.	L 252 x W 152 x H 133 mm
Capacity	5,5 litres
Weight	0,37 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	80 pcs/pallet




PB-3020-VD	PP
Ext. dim.	L 300 x W 200 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-3020-SD	PP
Ext. dim.	L 300 x W 200 mm
Type	Hinged lid
Weight	0,17 kg
Colours	●
Packing	40 pcs/box
Clips	1 set of clips included

EURONORM DIMENSIONS



EURONORM STACKING CONTAINERS

400 x 300 mm - Coloured, standard - 'BPT' SERIES

RAINBOW food safe

- ▶ Vented base and sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ Smooth standard base without ribbed structure
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible

Vented base and sides
BPT SERIES



PB-4305-BPT	PP
Ext. dim.	L 400 x W 300 x H 50 mm
Int. dim.	L 356 x W 255 x H 40 mm
Capacity	4,6 litres
Weight	0,34 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	240 pcs/pallet



PB-4307-BPT	PP
Ext. dim.	L 400 x W 300 x H 75 mm
Int. dim.	L 356 x W 255 x H 65 mm
Capacity	7 litres
Weight	0,36 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	160 pcs/pallet



PB-4312-BPT	PP
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 356 x W 255 x H 110 mm
Capacity	10 litres
Weight	0,49 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	144 pcs/pallet



PB-4314-BPT	PP
Ext. dim.	L 400 x W 300 x H 145 mm
Int. dim.	L 356 x W 255 x H 133 mm
Capacity	13 litres
Weight	0,53 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-4317-BPT	PP
Ext. dim.	L 400 x W 300 x H 175 mm
Int. dim.	L 356 x W 255 x H 165 mm
Capacity	15 litres
Weight	0,58 kg
Colours	● ● ● ● ● ●
Handles	Closed
Packing	96 pcs/pallet



PB-4321-BPT	PP
Ext. dim.	L 400 x W 300 x H 210 mm
Int. dim.	L 356 x W 255 x H 200 mm
Capacity	19 litres
Weight	0,68 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	72 pcs/pallet



PB-4327-BPT	PP
Ext. dim.	L 400 x W 300 x H 270 mm
Int. dim.	L 356 x W 255 x H 255 mm
Capacity	24 litres
Weight	0,77 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	64 pcs/pallet



PB-4332-BPT	PP
Ext. dim.	L 400 x W 300 x H 320 mm
Int. dim.	L 356 x W 255 x H 305 mm
Capacity	29 litres
Weight	0,98 kg
Colours	● ● ● ● ● ●
Handles	Open - On short sides
Packing	48 pcs/pallet




PB-4030-VD	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,37 kg
Colours	● ● ● ● ● ●
Packing	4 pcs/box



PB-4030-SD	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,37 kg
Colour	●
Packing	20 pcs/box
Clips	1 set of clips included

EURONORM 400 X 300 - PALLET ORDERING PLAN



EURONORM STACKING CONTAINERS 600 x 400 mm - Coloured, standard - 'BPT' SERIES

RAINBOW food safe

- ▶ Vented base and sides
- ▶ Standardized dimensions
- ▶ Food safe polypropylene, multiple colours
- ▶ Application: standard load
- ▶ Smooth inner sides for maximal protection & simple cleaning of your products

- ▶ Resistant to oil and greases
- ▶ Temperature resistant from -20° to +90°C
- ▶ **Smooth standard base without ribbed structure**
- ▶ Suitable for automated handling systems
- ▶ Stackable with one another
- ▶ Marking possible



Vented base and sides
BPT SERIES



PB-6405-BPT	PP
Ext. dim.	L 600 x W 400 x H 50 mm
Int. dim.	L 551 x W 352 x H 40 mm
Capacity	9,5 litres
Weight	0,75 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-6407-BPT	PP
Ext. dim.	L 600 x W 400 x H 75 mm
Int. dim.	L 551 x W 352 x H 65 mm
Capacity	14,7 litres
Weight	0,85 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	80 pcs/pallet



PB-6412-BPT	PP
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 551 x W 352 x H 110 mm
Capacity	22 litres
Weight	1 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	72 pcs/pallet



PB-6414-BPT	PP
Ext. dim.	L 600 x W 400 x H 145 mm
Int. dim.	L 551 x W 352 x H 133 mm
Capacity	26 litres
Weight	1 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	60 pcs/pallet



PB-6417-BPT	PP
Ext. dim.	L 600 x W 400 x H 175 mm
Int. dim.	L 551 x W 352 x H 165 mm
Capacity	33 litres
Weight	1,17 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	48 pcs/pallet



PB-6421-BPT	PP
Ext. dim.	L 600 x W 400 x H 210 mm
Int. dim.	L 551 x W 352 x H 200 mm
Capacity	40 litres
Weight	1,19 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	40 pcs/pallet



PB-6427-BPT	PP
Ext. dim.	L 600 x W 400 x H 270 mm
Int. dim.	L 551 x W 352 x H 255 mm
Capacity	51 litres
Weight	1,40 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	32 pcs/pallet



PB-6432-BPT	PP
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 551 x W 352 x H 305 mm
Capacity	61 litres
Weight	1,75 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	24 pcs/pallet



PB-6040-VD	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,75 kg
Colours	● ● ● ● ● ● ● ●
Packing	4 pcs/box



PB-6040-SD	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,75 kg
Colour	●
Packing	20 pcs/box
Clips	1 set of clips included

EURONORM STACKING CONTAINERS

300 x 200 / 400 x 300 mm - Coloured, reinforced - 'SCV' SERIES



- ▶ Closed base & sides
- ▶ Suitable for high load and rollway-use
- ▶ Optimal cleaning because of smooth base and sides
- ▶ Label holder at 4 sides
- ▶ Resistant to oil, greases and most acids
- ▶ Food safe polypropylene, multiple colours

- ▶ Solid
- ▶ Ribbed base for extra stability
- ▶ Temperature resistant from -20° to +90°C
- ▶ Large volume due to optimal construction
- ▶ Marking possible



PB-3212-SCV	PP
Ext. dim.	L 300 x W 200 x H 120 mm
Int. dim.	L 260 x W 160 x H 100 mm
Capacity	4,5 litres
Weight	0,45 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	105 pcs/pallet



PB-3020-VD	PP
Ext. dim.	L 300 x W 200 mm
Type	Standard lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box



PB-3020-KD	PP
Ext. dim.	L 300 x W 200 mm
Type	Hinged lid
Weight	0,17 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box
Option	Can be sealed with pins
PB-KDV	



PB-4312-SCV	PP
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 360 x W 260 x H 100 mm
Capacity	9,5 litres
Weight	0,90 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	144 pcs/pallet



PB-4314-SCV	PP
Ext. dim.	L 400 x W 300 x H 145 mm
Int. dim.	L 360 x W 260 x H 125 mm
Capacity	12,5 litres
Weight	0,95 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	120 pcs/pallet



PB-4317-SCV	PP
Ext. dim.	L 400 x W 300 x H 175 mm
Int. dim.	L 360 x W 260 x H 155 mm
Capacity	15 litres
Weight	1,15 kg
Colours	● ● ● ● ● ● ● ●
Handles	Closed
Packing	96 pcs/pallet



PB-4321-SCV	PP
Ext. dim.	L 400 x W 300 x H 210 mm
Int. dim.	L 360 x W 260 x H 190 mm
Capacity	18 litres (12 l until handles)
Weight	1,30 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	72 pcs/pallet



PB-4327-SCV	PP
Ext. dim.	L 400 x W 300 x H 270 mm
Int. dim.	L 360 x W 260 x H 250 mm
Capacity	24 litres (17 l until handles)
Weight	1,50 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	64 pcs/pallet




PB-4332-SCV	PP
Ext. dim.	L 400 x W 300 x H 320 mm
Int. dim.	L 360 x W 260 x H 305 mm
Capacity	29 litres (21 l until handles)
Weight	1,60 kg
Colours	● ● ● ● ● ● ● ●
Handles	Open - On short sides
Packing	48 pcs/pallet



PB-4030-VD	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,37 kg
Colours	● ● ● ● ● ● ● ●
Packing	4 pcs/box



PB-4030-KD	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,37 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box
Option	Can be sealed with pins
PB-KDV	



EURONORM STACKING CONTAINERS 600 x 400 mm - Coloured, reinforced - 'SCV' SERIES

RAINBOW food safe

- ▶ Closed base & sides
- ▶ Suitable for high load and rollway-use
- ▶ Optimal cleaning because of smooth base and sides
- ▶ Label holder at 4 sides
- ▶ Resistant to oil, greases and most acids
- ▶ Food safe polypropylene, multiple colours

- ▶ Solid
- ▶ Ribbed base for extra stability
- ▶ Temperature resistant from -20° to +90°C
- ▶ Large volume due to optimal construction
- ▶ Marking possible

Closed base and sides
SCV SERIES



PB-6412-SCV	PP
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 560 x W 360 x H 100 mm
Capacity	21 litres
Weight	1,60 kg
Colours	● ● ● ●
Handles	Closed
Packing	72 pcs/pallet



PB-6414-SCV	PP
Ext. dim.	L 600 x W 400 x H 145 mm
Int. dim.	L 560 x W 360 x H 125 mm
Capacity	26 litres
Weight	1,65 kg
Colours	● ● ● ●
Handles	Closed
Packing	60 pcs/pallet



PB-6417-SCV	PP
Ext. dim.	L 600 x W 400 x H 175 mm
Int. dim.	L 560 x W 360 x H 155 mm
Capacity	32 litres
Weight	1,85 kg
Colours	● ● ● ●
Handles	Closed
Packing	48 pcs/pallet



PB-6421-SCV	PP
Ext. dim.	L 600 x W 400 x H 210 mm
Int. dim.	L 560 x W 360 x H 190 mm
Capacity	39 litres (25 l until handles)
Weight	2,10 kg
Colours	● ● ● ●
Handles	Open - On short sides
Packing	40 pcs/pallet



PB-6427-SCV	PP
Ext. dim.	L 600 x W 400 x H 270 mm
Int. dim.	L 560 x W 360 x H 250 mm
Capacity	51 litres (37,5 l until handles)
Weight	2,40 kg
Colours	● ● ● ●
Handles	Open - On short sides
Packing	32 pcs/pallet



PB-6432-SCV	PP
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 560 x W 360 x H 300 mm
Capacity	61 litres (48 l until handles)
Weight	2,65 kg
Colours	● ● ● ●
Handles	Open - On short sides
Packing	24 pcs/pallet



PB-6442-SCV	PP
Ext. dim.	L 600 x W 400 x H 420 mm
Int. dim.	L 560 x W 360 x H 400 mm
Capacity	81 litres (68 l until handles)
Weight	3,15 kg
Colours	● ● ● ●
Handles	Open - On short sides
Packing	20 pcs/pallet



PB-6040-VD	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,75 kg
Colours	● ● ● ● ● ● ● ●
Packing	4 pcs/box



PB-6040-KD	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,75 kg
Colours	● ● ● ● ● ● ● ●
Packing	20 pcs/box
Option	Can be sealed with pins
PB-KDV	

EURONORM STACKING CONTAINERS

300 x 200 mm - Standard, closed

COMFORT food safe

- ▶ Optimal transportation of the goods thanks to standardized dimensions; stackable with one another
- ▶ Suitable for automated handling systems
- ▶ Stackable on pallets 1200 x 800 mm and 1200 x 1000 mm

- ▶ **Smooth base (not ribbed)**
- ▶ Solid - suitable for heavy duty - long life time
- ▶ Hinged lids can be equipped with clips for an optimal closure
- ▶ Standard colour: grey
- ▶ Marking possible

Closed base and sides



PB-E3212	PP
Ext. dim.	L 300 x W 200 x H 120 mm
Int. dim.	L 265 x W 165 x H 110 mm
Capacity	5 litres
Weight	0,45 kg
Colour	●
Handles	Closed
Packing	256 pcs/pallet




PB-E3217	PP
Ext. dim.	L 300 x W 200 x H 170 mm
Int. dim.	L 265 x W 165 x H 160 mm
Capacity	7 litres
Weight	0,75 kg
Colour	●
Handles	Closed
Packing	176 pcs/pallet



PB-E32	PP
Ext. dim.	L 300 x W 200 mm
Type	Hinged lid
Fits on	PB-E3212 + PB-E3217
Weight	0,18 kg
Colour	●
Packing	100 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)

EURONORM DIMENSIONS



EURONORM STACKING CONTAINERS

400 x 300 mm - Standard, closed

COMFORT food safe

- Optimal transportation of the goods thanks to standardized dimensions; stackable with one another
- Suitable for automated handling systems
- Stackable on pallets 1200 x 800 mm and 1200 x 1000 mm

- Smooth base (not ribbed)**
- Solid - suitable for heavy duty - long life time
- Hinged lids can be equipped with clips for an optimal closure
- Standard colour: grey; white starting from 1 pallet
- Marking possible

Closed base and sides



PB-3280	PE
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 368 x W 269 x H 116 mm
Capacity	11 litres
Weight	1,00 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	128 pcs/pallet



PB-3281	PE
Ext. dim.	L 400 x W 300 x H 170 mm
Int. dim.	L 368 x W 269 x H 166 mm
Capacity	16 litres
Weight	1,20 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	96 pcs/pallet



PB-3282	PE
Ext. dim.	L 400 x W 300 x H 220 mm
Int. dim.	L 368 x W 269 x H 216 mm
Capacity	21 litres
Weight	1,40 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	72 pcs/pallet



PB-3283	PE
Ext. dim.	L 400 x W 300 x H 270 mm
Int. dim.	L 368 x W 269 x H 266 mm
Capacity	25 litres
Weight	1,60 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	56 pcs/pallet



PB-3284	PE
Ext. dim.	L 400 x W 300 x H 320 mm
Int. dim.	L 368 x W 269 x H 316 mm
Capacity	31 litres
Weight	1,90 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	48 pcs/pallet



PB-3295	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,45 kg
Colour	●
Packing	90 pcs/box



PB-3295/S	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,45 kg
Colour	●
Packing	90 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)



PB-E99CNK	PE
Type	1 set of clips for lid PB-3295/5
Colour	○
Packing	per set

EURONORM STACKING CONTAINERS 400 x 300 mm - Standard, vented

COMFORT food safe

- ▶ Standardized dimensions for an optimal treatment
- ▶ Stackable with one another for stable charges
- ▶ **Smooth base in case of closed base**
- ▶ Ergonomic handles (open)
- ▶ Multiple executions: base and/or sides vented
- ▶ Standard colour: grey
- ▶ Marking possible



Closed or vented base



PB-3290	PE
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 368 x W 269 x H 116 mm
Capacity	11 litres
Weight	0,90 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base - vented sides
Packing	128 pcs/pallet



PB-3291	PE
Ext. dim.	L 400 x W 300 x H 170 mm
Int. dim.	L 368 x W 269 x H 166 mm
Capacity	16 litres
Weight	1,00 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base - vented sides
Packing	96 pcs/pallet



PB-3292	PE
Ext. dim.	L 400 x W 300 x H 220 mm
Int. dim.	L 368 x W 269 x H 216 mm
Capacity	21 litres
Weight	1,10 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base - vented sides
Packing	72 pcs/pallet



PB-3285	PE
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 368 x W 269 x H 116 mm
Capacity	11 litres
Weight	0,80 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Packing	128 pcs/pallet



PB-3286	PE
Ext. dim.	L 400 x W 300 x H 170 mm
Int. dim.	L 368 x W 269 x H 166 mm
Capacity	16 litres
Weight	0,90 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Packing	96 pcs/pallet



PB-3287	PE
Ext. dim.	L 400 x W 300 x H 220 mm
Int. dim.	L 368 x W 269 x H 216 mm
Capacity	21 litres
Weight	1,00 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Packing	72 pcs/pallet



PB-3295	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,45 kg
Colour	●
Packing	90 pcs/box



PB-3295/S	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,45 kg
Colour	●
Packing	90 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)



PB-E99CNK	PE
Type	1 set of clips for lid PB-3295/S
Colour	○
Packing	per set

★ **HINT**

Personalization: minimum 25 pieces (hot stamp)

EURONORM STACKING CONTAINERS

400 x 300 mm - Extra reinforced, closed

COMFORT food safe

- ▶ Optimal transportation of the goods thanks to standardized dimensions
- ▶ Solid and stackable with one another - stackable on pallets 1200 x 800 mm and 1200 x 1000 mm
- ▶ **Smooth base, except PB-4336E: ribbed**
- ▶ Smooth inner sides for maximal use and protection of your products
- ▶ **All types with closed base and sides, suitable for heavy duty and heavy charges**
- ▶ Hinged lids can be equipped with lid clips for an optimal closure (optional)
- ▶ Marking possible

Closed base and sides



PB-E4308	PP
Ext. dim.	L 400 x W 300 x H 80 mm
Int. dim.	L 355 x W 255 x H 70 mm
Capacity	6 litres
Weight	0,75 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	200 pcs/pallet



PB-E4312	PP
Ext. dim.	L 400 x W 300 x H 120 mm
Int. dim.	L 355 x W 255 x H 110 mm
Capacity	10 litres
Weight	0,80 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	150 pcs/pallet



PB-E4317	PP
Ext. dim.	L 400 x W 300 x H 170 mm
Int. dim.	L 355 x W 255 x H 160 mm
Capacity	15 litres
Weight	1,30 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	100 pcs/pallet



PB-E4322	PP
Ext. dim.	L 400 x W 300 x H 220 mm
Int. dim.	L 355 x W 255 x H 210 mm
Capacity	20 litres
Weight	1,50 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	80 pcs/pallet



PB-E4332	PP
Ext. dim.	L 400 x W 300 x H 320 mm
Int. dim.	L 355 x W 255 x H 310 mm
Capacity	30 litres
Weight	2,00 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	70 pcs/pallet



PB-4336E	PP
Ext. dim.	L 400 x W 300 x H 360 mm
Int. dim.	L 355 x W 255 x H 350 mm
Capacity	35 litres
Weight	1,87 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	On demand (PB-43E or PB-43ES)
Packing	48 pcs/pallet



PB-3295	PP
Ext. dim.	L 400 x W 300 mm
Type	Standard lid
Weight	0,45 kg
Colour	●
Packing	90 pcs/box




PB-E43	PP
Ext. dim.	L 400 x W 300 mm
Type	Hinged lid
Weight	0,35 kg
Clips (optional)	PB-E99CNK (1 set needed)
Colour	●
Packing	90 pcs/box



PB-E99CNK	PE
Type	1 set of clips for lid PB-E43
Colour	○
Packing	per set



EURONORM 400 X 300 - PALLET ORDERING PLAN



IN THE PICTURE
Euronorm stacking containers

600 x 400 mm - Standard, closed

- ▶ Material: HDPE
- ▶ Large area for marking
- ▶ Integrated reinforcement in the corners
- ▶ Handles closed or open
- ▶ Ideal for robot gripper (automatic warehouse)
- ▶ Smooth base without ribbed structure



Insert trays PB-G1 (option)



Standard lid PB-3271 (option)



Smooth base without ribbed structure



Insert trays PB-G1-4 (option)



Divider strips (option)



Transport undercarriages see p. 36-37



EURONORM STACKING CONTAINERS 600 x 400 mm - Standard, closed

COMFORT food safe

- Optimal transportation of the goods thanks to standardized dimensions; stackable with one another
- Suitable for automated handling systems
- Stackable on pallets 1200 x 800 mm and 1200 x 1000 mm (plan at the bottom of this page)

- Heavy duty - long life time
- Smooth base without ribbed structure
- Solid and suitable for heavy charges
- Colours white, blue and red: starting from 1 pallet
- Marking possible

Closed base and sides



PB-3248	PP
Ext. dim.	L 600 x W 400 x H 50 mm
Int. dim.	L 565 x W 365 x H 46 mm
Capacity	9 litres
Weight	1,20 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	160 pcs/pallet



PB-3249	PP
Ext. dim.	L 600 x W 400 x H 75 mm
Int. dim.	L 565 x W 365 x H 71 mm
Capacity	14 litres
Weight	1,30 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	108 pcs/pallet



PB-3250N	HDPE
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 569 x W 369 x H 116 mm
Capacity	23 litres
Weight	1,50 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Packing	72 pcs/pallet



PB-3251N	HDPE
Ext. dim.	L 600 x W 400 x H 170 mm
Int. dim.	L 569 x W 369 x H 166 mm
Capacity	34 litres
Weight	1,80 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Packing	48 pcs/pallet



PB-3252N	HDPE
Ext. dim.	L 600 x W 400 x H 220 mm
Int. dim.	L 569 x W 369 x H 216 mm
Capacity	44 litres
Weight	2,20 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Packing	36 pcs/pallet



PB-3253N	HDPE
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 569 x W 369 x H 316 mm
Capacity	64 litres
Weight	2,90 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Packing	24 pcs/pallet



PB-3254	PE
Ext. dim.	L 600 x W 400 x H 420 mm
Int. dim.	L 565 x W 365 x H 416 mm
Capacity	83 litres
Weight	3,90 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	20 pcs/pallet




PB-3271	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,90 kg
Colour	●
Packing	50 pcs/box



PB-3271/S	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,90 kg
Colour	●
Packing	50 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)
Info	not for PB-3254

EURONORM 600 X 400 - PALLET ORDERING PLAN




i PB-3250N, PB-3251N, PB-3252N, & PB-3253N on demand available in colours white, blue or red

EURONORM STACKING CONTAINERS 600 x 400 mm - Standard, vented

COMFORT food safe

- ▶ For optimal transportation, stackable with one another
- ▶ Suitable for automated handling systems
- ▶ Stackable on pallets 1200 x 800 mm and 1200 x 1000 mm
- ▶ Solid polyethylene execution - long life time
- ▶ Smooth base without ribbed structure
- ▶ Solid and suitable for heavy charges
- ▶ Standard colour: grey; white starting from 500 pcs
- ▶ Marking possible



Closed base,
vented sides



PB-3260	PE
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 565 x W 365 x H 116 mm
Capacity	23 litres
Weight	1,50 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - vented sides
Packing	72 pcs/pallet



PB-3244	PE
Ext. dim.	L 600 x W 400 x H 150 mm
Int. dim.	L 565 x W 365 x H 146 mm
Capacity	29 litres
Weight	1,60 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - vented sides
Packing	56 pcs/pallet



PB-3261	PE
Ext. dim.	L 600 x W 400 x H 170 mm
Int. dim.	L 565 x W 365 x H 166 mm
Capacity	33 litres
Weight	1,70 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - vented sides
Packing	48 pcs/pallet



PB-3262	PE
Ext. dim.	L 600 x W 400 x H 220 mm
Int. dim.	L 565 x W 365 x H 216 mm
Capacity	43 litres
Weight	2,00 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - vented sides
Packing	36 pcs/pallet



PB-3263	PE
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 565 x W 365 x H 316 mm
Capacity	63 litres
Weight	2,30 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - vented sides
Packing	24 pcs/pallet



PB-3264	PE
Ext. dim.	L 600 x W 400 x H 420 mm
Int. dim.	L 565 x W 365 x H 416 mm
Capacity	83 litres
Weight	2,70 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - vented sides
Lid	Hinged lid not possible
Packing	20 pcs/pallet



PB-3271	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,90 kg
Colour	●
Packing	50 pcs/box



PB-3271/S	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,90 kg
Colour	●
Packing	50 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)
Info	not for PB-3264

EURONORM STACKING CONTAINERS

600 x 400 mm - Standard, vented

COMFORT food safe

- ▶ For optimal transportation (stackable with one another on pallets 1200 x 800 / 1200 x 1000 mm)
- ▶ Suitable for automated handling systems
- ▶ Solid polyethylene execution - long life time

- ▶ Smooth vented base without ribbed structure
- ▶ Solid and suitable for heavy charges
- ▶ Standard colour: grey
- ▶ Marking possible



Vented base and sides



PB-3255	PE
Ext. dim.	L 600 x W 400 x H 120 mm
Int. dim.	L 565 x W 365 x H 116 mm
Capacity	23 litres
Weight	1,20 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Packing	72 pcs/pallet



PB-3242	PE
Ext. dim.	L 600 x W 400 x H 150 mm
Int. dim.	L 565 x W 365 x H 146 mm
Capacity	29 litres
Weight	1,30 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Packing	56 pcs/pallet



PB-3256	PE
Ext. dim.	L 600 x W 400 x H 170 mm
Int. dim.	L 565 x W 365 x H 166 mm
Capacity	33 litres
Weight	1,40 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Packing	48 pcs/pallet



PB-3257	PE
Ext. dim.	L 600 x W 400 x H 220 mm
Int. dim.	L 565 x W 365 x H 216 mm
Capacity	43 litres
Weight	1,70 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Packing	36 pcs/pallet



PB-3258	PE
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 565 x W 365 x H 316 mm
Capacity	63 litres
Weight	2,0 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Packing	24 pcs/pallet



PB-3243	PE
Ext. dim.	L 600 x W 400 x H 350 mm
Int. dim.	L 565 x W 365 x H 346 mm
Capacity	69 litres
Weight	2,10 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Packing	24 pcs/pallet



PB-3259	PE
Ext. dim.	L 600 x W 400 x H 426 mm
Int. dim.	L 565 x W 365 x H 416 mm
Capacity	83 litres
Weight	2,40 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	20 pcs/pallet



PB-3271	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,90 kg
Colour	●
Packing	50 pcs/box



PB-3271/S	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,90 kg
Colour	●
Packing	50 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)
Info	not for PB-3259

EURONORM STACKING CONTAINERS

600 x 400 mm - Extra reinforced, closed

GOLD food safe

- ▶ For optimal transportation (stackable with one another on pallets 1200 x 800 / 1200 x 1000 mm)
- ▶ **All executions have an extra ribbed reinforced base for extra heavy charge**
- ▶ Standard colour: beige

- ▶ Other colours: minimum order qty of 1000 pieces
- ▶ Lid optional (PB-E64 or PB-E64/S)
- ▶ On demand starting at 1000 pcs: closed base, vented sides (serie EC)
- ▶ Printing with name and/or logo available (min. 25 pcs)
- ▶ Packing: on 800 x 1200 mm pallets

Closed base and sides
"E" SERIES



PB-E6407	PP
Ext. dim.	L 600 x W 400 x H 70 mm
Int. dim.	L 562 x W 362 x H 57 mm
Capacity	12 litres
Weight	1,40 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	144 pcs/pallet



PB-E6410	PP
Ext. dim.	L 600 x W 400 x H 100 mm
Int. dim.	L 562 x W 362 x H 87 mm
Capacity	18 litres
Weight	1,70 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	88 pcs/pallet



PB-E6413	HDPE
Ext. dim.	L 600 x W 400 x H 130 mm
Int. dim.	L 562 x W 362 x H 117 mm
Capacity	23 litres
Weight	2,00 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	60 pcs/pallet



PB-E6415	HDPE
Ext. dim.	L 600 x W 400 x H 150 mm
Int. dim.	L 562 x W 362 x H 137 mm
Capacity	27 litres
Weight	2,15 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	52 pcs/pallet



PB-E6417	HDPE
Ext. dim.	L 600 x W 400 x H 170 mm
Int. dim.	L 562 x W 362 x H 157 mm
Capacity	34 litres
Weight	2,25 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	48 pcs/pallet



PB-E6420	HDPE
Ext. dim.	L 600 x W 400 x H 200 mm
Int. dim.	L 562 x W 362 x H 187 mm
Capacity	38 litres
Weight	2,55 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Hinged lid not possible
Packing	40 pcs/pallet



PB-E6422	HDPE
Ext. dim.	L 600 x W 400 x H 220 mm
Int. dim.	L 562 x W 362 x H 207 mm
Capacity	42 litres
Weight	2,55 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	36 pcs/pallet



PB-E6424	HDPE
Ext. dim.	L 600 x W 400 x H 240 mm
Int. dim.	L 562 x W 362 x H 227 mm
Capacity	47 litres
Weight	2,60 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	32 pcs/pallet



PB-E6427	HDPE
Ext. dim.	L 600 x W 400 x H 270 mm
Int. dim.	L 562 x W 362 x H 257 mm
Capacity	51 litres
Weight	2,70 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	28 pcs/pallet

EURONORM STACKING CONTAINERS

600 x 400 mm - Extra reinforced, closed

GOLD food safe

- ▶ For optimal transportation (stackable with one another on pallets 1200 x 800 / 1200 x 1000 mm)
- ▶ **All executions have an extra ribbed reinforced base for extra heavy charge**
- ▶ Standard colour: beige

- ▶ Other colours: minimum order qty of 1000 pieces
- ▶ Lid optional (PB-E64 or PB-E64/S)
- ▶ On demand starting at 1000 pcs: closed base, vented sides (serie EC)
- ▶ Printing with name and/or logo available (min. 25 pcs)
- ▶ Packing: on 800 x 1200 mm pallets

Closed base and sides
"E" SERIES



PB-E6429	HDPE
Ext. dim.	L 600 x W 400 x H 290 mm
Int. dim.	L 562 x W 362 x H 277 mm
Capacity	54 litres
Weight	2,80 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	28 pcs/pallet



PB-E6432	HDPE
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 562 x W 362 x H 307 mm
Capacity	63 litres
Weight	3,10 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	24 pcs/pallet



PB-E6435	HDPE
Ext. dim.	L 600 x W 400 x H 350 mm
Int. dim.	L 562 x W 362 x H 337 mm
Capacity	69 litres
Weight	3,35 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	24 pcs/pallet



PB-E6441	HDPE
Ext. dim.	L 600 x W 400 x H 410 mm
Int. dim.	L 562 x W 362 x H 397 mm
Capacity	82 litres
Weight	4,65 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	20 pcs/pallet



PB-E6445	HDPE
Ext. dim.	L 600 x W 400 x H 450 mm
Int. dim.	L 562 x W 362 x H 437 mm
Capacity	90 litres
Weight	5,15 kg
Colour	●
Handles	Open - On short sides
Execution	Closed base and sides
Lid	Separate or hinged
Packing	20 pcs/pallet



PB-E64	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,50 kg
Colour	●
Packing	16 pcs/box




PB-E64/S	PP
Ext. dim.	L 600 x W 400 mm
Type	Hinged lid
Weight	0,50 kg
Colour	●
Packing	16 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)



PB-E99CNK	PP
Type	1 set of clips for lid PB-E64/S
Colour	○
Packing	per set

EURONORM 600 X 400 - PALLET ORDERING PLAN



EURONORM STACKING CONTAINERS

600 x 400 mm - Extra reinforced, vented

GOLD food safe

- ▶ For optimal transportation (stackable with one another on pallets 1200 x 800 / 1200 x 1000 mm)
- ▶ All executions have an **extra ribbed reinforced base for extra heavy charge**
- ▶ Standard colour: beige
- ▶ Other colours: minimum order qty of 1000 pieces
- ▶ Lid optional (PB-E64 or PB-E64/S)
- ▶ On demand starting at 1000 pcs: closed base, vented sides (serie EC)
- ▶ Printing with name and/or logo available (min. 25 pcs)
- ▶ Packing: on 800 x 1200 mm pallets



Vented base and sides

"E" SERIES



PB-EF6407	PP
Ext. dim.	L 600 x W 400 x H 70 mm
Int. dim.	L 562 x W 362 x H 57 mm
Capacity	12 litres
Weight	0,98 kg
Colour	●
Handles	Closed
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	144 pcs/pallet



PB-EF6410	PP
Ext. dim.	L 600 x W 400 x H 100 mm
Int. dim.	L 562 x W 362 x H 87 mm
Capacity	18 litres
Weight	1,22 kg
Colour	●
Handles	Closed
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	88 pcs/pallet



PB-EF6413	HDPE
Ext. dim.	L 600 x W 400 x H 130 mm
Int. dim.	L 562 x W 362 x H 117 mm
Capacity	23 litres
Weight	1,68 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	100 pcs/pallet



PB-EF6415	HDPE
Ext. dim.	L 600 x W 400 x H 150 mm
Int. dim.	L 562 x W 362 x H 137 mm
Capacity	27 litres
Weight	1,82 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	52 pcs/pallet



PB-EF6417	HDPE
Ext. dim.	L 600 x W 400 x H 170 mm
Int. dim.	L 562 x W 362 x H 157 mm
Capacity	34 litres
Weight	1,68 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	48 pcs/pallet



PB-EF6420	HDPE
Ext. dim.	L 600 x W 400 x H 200 mm
Int. dim.	L 562 x W 362 x H 187 mm
Capacity	38 litres
Weight	1,90 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	40 pcs/pallet



PB-EF6422	HDPE
Ext. dim.	L 600 x W 400 x H 220 mm
Int. dim.	L 562 x W 362 x H 207 mm
Capacity	42 litres
Weight	1,56 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	36 pcs/pallet



PB-EF6424	HDPE
Ext. dim.	L 600 x W 400 x H 240 mm
Int. dim.	L 562 x W 362 x H 227 mm
Capacity	47 litres
Weight	1,82 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Hinged lid not possible
Packing	32 pcs/pallet



PB-EF6427	HDPE
Ext. dim.	L 600 x W 400 x H 270 mm
Int. dim.	L 562 x W 362 x H 257 mm
Capacity	51 litres
Weight	1,86 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Separate or hinged
Packing	28 pcs/pallet

EURONORM STACKING CONTAINERS

600 x 400 mm - Extra reinforced, vented

GOLD food safe

- ▶ For optimal transportation (stackable with one another on pallets 1200 x 800 / 1200 x 1000 mm)
- ▶ All executions have an **extra ribbed reinforced base for extra heavy charge**
- ▶ Standard colour: beige
- ▶ Other colours: minimum order qty of 1000 pieces
- ▶ Lid optional (PB-E64 or PB-E64/S)
- ▶ On demand starting at 1000 pcs: closed base, vented sides (serie EC)
- ▶ Printing with name and/or logo available (min. 25 pcs)
- ▶ Packing: on 800 x 1200 mm pallets



PB-EF6429	HDPE
Ext. dim.	L 600 x W 400 x H 290 mm
Int. dim.	L 562 x W 362 x H 277 mm
Capacity	54 litres
Weight	1,88 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Separate or hinged
Packing	28 pcs/pallet



PB-EF6432	HDPE
Ext. dim.	L 600 x W 400 x H 320 mm
Int. dim.	L 562 x W 362 x H 307 mm
Capacity	63 litres
Weight	2,04 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Separate or hinged
Packing	24 pcs/pallet



PB-EF6435	HDPE
Ext. dim.	L 600 x W 400 x H 350 mm
Int. dim.	L 562 x W 362 x H 337 mm
Capacity	69 litres
Weight	2,18 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Separate or hinged
Packing	24 pcs/pallet




PB-EF6441	HDPE
Ext. dim.	L 600 x W 400 x H 410 mm
Int. dim.	L 562 x W 362 x H 397 mm
Capacity	82 litres
Weight	2,52 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Separate or hinged
Packing	20 pcs/pallet



PB-EF6445	HDPE
Ext. dim.	L 600 x W 400 x H 450 mm
Int. dim.	L 562 x W 362 x H 437 mm
Capacity	90 litres
Weight	2,84 kg
Colour	●
Handles	Open - On short sides
Execution	Vented base and sides
Lid	Separate or hinged
Packing	16 pcs/pallet



PB-E64	PP
Ext. dim.	L 600 x W 400 mm
Type	Standard lid
Weight	0,50 kg
Colour	●
Packing	22 pcs/box
PB-E64/S	Hinged lid
Packing	16 pcs/box
Clips (optional)	PB-E99CNK (1 set needed)



	PB-GRILL1	PB-GRILL2	PB-GRILL3	PB-GRILL4	PB-GRILL5
No of plates	26 pieces	32 pieces (2 x 16)	17 pieces	9 pieces	6 pieces
∅ plate (max. / min.)	330 mm / 250 mm	230 mm / 200 mm	230 mm / 200 mm	230 mm / 200 mm	230 mm / 200 mm
For euronorm bins	600 x 400 mm	600 x 400 mm	400 x 300 mm	400 x 300 mm	400 x 300 mm
Weight	1,22 kg	1,16 kg	0,72 kg	0,62 kg	0,56 kg
Colour	○	○	○	○	○
Packing	per piece	per piece	per piece	per piece	per piece

Note: PB-GRILL1 & PB-GRILL2 are only compatible with containers E or EF

IN THE PICTURE
Euronorm stacking containers



800 x 600 mm - Standard, coloured

- ▶ Material: PP
- ▶ With open handles - on 4 sides
- ▶ Large volume stacking containers
- ▶ Optional: lid; transport undercarriage
- ▶ 4 colours: ● ● ● ●



Stackable with one another on pallets



With label field



Multiple colours available



Standard lid (optional)



Open handles on 4 sides



Transport undercarriages see p. 54



EURONORM STACKING CONTAINERS

800 x 600 mm - Standard or reinforced

COMFORT food safe

- ▶ Large Euronorm crates with high volume
- ▶ Optimal treatment of the goods
- ▶ Stackable with one another on pallets 1200 x 800 mm
- ▶ **Perfectly smooth closed base without ribbed structure**
- ▶ Lid optionally available

- ▶ 3 versions:
 - E = Closed base and sides
 - EF = Vented base and sides
 - EC = Closed base, vented sides
- ▶ Printing with name and/or logo available



PB-8612E	PP
Ext. dim.	L 800 x W 600 x H 120 mm
Int. dim.	L 750 x W 550 x H 100 mm
Capacity	45 litres
Weight	3,00 kg
Colour	●
Handles	Closed
Execution	Closed base and sides
Base	Smooth base
Packing	44 pcs/pallet
Info	only lid PB-6080-VD possible



PB-E8621	PP
Ext. dim.	L 800 x W 600 x H 210 mm
Int. dim.	L 755 x W 555 x H 190 mm
Capacity	80 litres
Weight	3,55 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base and sides
Base	Smooth base
Packing	20 pcs/pallet



PB-E8621-C	PP
Ext. dim.	L 800 x W 600 x H 210 mm
Int. dim.	L 745 x W 545 x H 200 mm
Capacity	80 litres
Weight	3,55 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base and sides
Base	Smooth base
Colours	● ● ● ●
Packing	20 pcs/pallet



PB-E8623	PE
Ext. dim.	L 800 x W 600 x H 235 mm
Int. dim.	L 755 x W 555 x H 215 mm
Capacity	87 litres
Weight	3,85 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base and sides
Base	Reinforced base
Packing	16 pcs/pallet



PB-E8631	PE
Ext. dim.	L 800 x W 600 x H 319 mm
Int. dim.	L 755 x W 555 x H 295 mm
Capacity	120 litres
Weight	4,45 kg
Colour	●
Handles	Open - On 2 sides
Execution	Closed base and sides
Base	Reinforced base
Packing	12 pcs/pallet



PB-E8632	PP
Ext. dim.	L 800 x W 600 x H 320 mm
Int. dim.	L 745 x W 545 x H 305 mm
Capacity	125 litres
Weight	4,70 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base and sides
Base	Smooth base
Packing	12 pcs/pallet



PB-E8632-C	PP
Ext. dim.	L 800 x W 600 x H 320 mm
Int. dim.	L 745 x W 545 x H 305 mm
Capacity	125 litres
Weight	4,70 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base and sides
Base	Smooth base
Colours	● ● ● ●
Packing	12 pcs/pallet



PB-E8641	PE
Ext. dim.	L 800 x W 600 x H 410 mm
Int. dim.	L 755 x W 555 x H 390 mm
Capacity	162 litres
Weight	5,65 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base and sides
Base	Reinforced base
Packing	10 pcs/pallet



PB-E86	PE
Ext. dim.	L 800 x W 600 mm
Type	Standard lid
Weight	1,82 kg
Colour	●
Packing	per piece
Info	not for PB-8612E
PB-6080-VD	L 800 x W 600 mm
Type	Standard lid for PB-8612E
Colour	●

EURONORM STACKING CONTAINERS 800 x 600 mm - Standard, vented

COMFORT food safe

- ▶ Optimal treatment of the goods; high volume
- ▶ Stackable with one another on pallets 1200 x 800 mm
- ▶ **Smooth closed base without ribbed structure**
- ▶ Marking possible
- ▶ Lid optionally available

- ▶ 3 versions:
 - E = Closed base and sides
 - EF = Vented base and sides
 - EC = Closed base, vented sides



PB-EF8623	PE
Ext. dim.	L 800 x W 600 x H 235 mm
Int. dim.	L 755 x W 555 x H 215 mm
Capacity	87 litres
Weight	3,30 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Base	Reinforced base
Packing	16 pcs/pallet



PB-EF8641	PE
Ext. dim.	L 800 x W 600 x H 410 mm
Int. dim.	L 755 x W 555 x H 390 mm
Capacity	162 litres
Weight	4,65 kg
Colour	●
Handles	Open - On 4 sides
Execution	Vented base and sides
Base	Reinforced base
Packing	10 pcs/pallet



PB-E86	PE
Ext. dim.	L 800 x W 600 mm
Type	Standard lid
Weight	1,82 kg
Colour	●
Packing	per piece
Info	not for PB-8612E



PB-EC8621	PP
Ext. dim.	L 800 x W 600 x H 210 mm
Int. dim.	L 755 x W 555 x H 190 mm
Capacity	80 litres
Weight	3,30 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - Vented sides
Base	Smooth base
Packing	20 pcs/pallet




PB-EC8632	PP
Ext. dim.	L 800 x W 600 x H 320 mm
Int. dim.	L 755 x W 555 x H 300 mm
Capacity	125 litres
Weight	4,70 kg
Colour	●
Handles	Open - On 4 sides
Execution	Closed base - Vented sides
Base	Smooth base
Packing	12 pcs/pallet



PB-D8060	ALU + ABS + PA
Transport undercarriage with 4 standard swivel castors + galvanized forks	
Ext. dim.	L 800 x W 600 x H 155 mm
Colour	●
Packing	10 pcs/pallet

EURONORM DIMENSIONS



VOLUME BOXES



UNIVERSAL LIGHTWEIGHT VOLUME BOXES


1400/1425 series - On feet



- ▶ Universal lightweight volume boxes with smooth insidesides
- ▶ **Choice: closed base and sides or vented base and sides (1400/A range)**
- ▶ On feet or castors, depending on the application and Load
- ▶ **NOT suitable for liquids**
- ▶ Multiple applications: laundry and textile industry, events, food industry, ...
- ▶ Food safe quality; suitable for food storage (until -15°C)
- ▶ **Options: lid, marking**



PB-1425/F	HDPE
Ext. dim.	L 1040 x W 640 x H 550 mm
Int. dim.	L 930 x W 590 x H 400 mm
Capacity	220 litres
Weight	12 kg
Colour	●
Execution	Closed - 4 feet
Max. load	150 kg (unit - dynamic) 1500 kg static
Max. stack	10 pieces




PB-1425/B	HDPE
Ext. dim.	L 1040 x W 640 x H 670 mm
Int. dim.	L 930 x W 590 x H 515 mm
Capacity	285 litres
Weight	14 kg
Colour	●
Execution	Closed - 4 feet
Max. load	200 kg (unit - dynamic) 1800 kg static
Max. stack	9 pieces



PB-1425/A	HDPE
Ext. dim.	L 1200 x W 800 x H 800 mm
Int. dim.	L 1120 x W 750 x H 650 mm
Capacity	550 litres
Weight	22 kg
Colour	●
Execution	Closed - 4 feet
Max. load	300 kg (unit - dynamic) 2000 kg static
Max. stack	6 pieces



PB-1400/A	HDPE
Ext. dim.	L 1020 x W 640 x H 580 mm
Int. dim.	L 930 x W 590 x H 510 mm
Capacity	300 litres
Weight	12 kg
Colours	●
Execution	Vented base and sides - 4 feet
Max. load	300 kg (unit - dynamic) 2000 kg static
Max. stack	9 pieces



PB-CD 2	HDPE
Lid for PB-1400/A(R), PB-1425/F(R) and PB-1425/B(R)	
Ext. dim.	L 1040 x W 640 mm
Weight	1,72 kg
Colour	●
PB-CD 9	Transparent version (for indoor use)



PB-CD 4	HDPE
Lid for PB-1425/A and PB-1425/AR	
Ext. dim.	L 1215 x W 815 mm
Weight	1,85 kg
Int. dim.	L 1200 x W 800 mm
Colour	●

i Not suitable for liquids



i PB-1400/1425 series suitable for: textile industry, laundry, horticulture, recycling, ...



i PB-CD 9: transparent lid for PB-1400/A(R), PB-1425/F(R) and PB-1425/B(R)

UNIVERSAL LIGHTWEIGHT VOLUME BOXES

1400/1425 series - On castors



- ▶ Universal lightweight volume boxes with smooth innersides
- ▶ **Choice: closed base and sides or vented base and sides (1400/A range)**
- ▶ On feet or castors, depending on the application and Load
- ▶ **NOT suitable for liquids**
- ▶ Multiple applications: laundry and textile industry, events, food industry, ...
- ▶ Food safe quality; suitable for food storage (until -15°C)
- ▶ **Options: lid, marking**



PB-1425/FR	HDPE
Ext. dim.	L 1040 x W 640 x H 680 mm
Int. dim.	L 930 x W 590 x H 400 mm
Capacity	220 litres
Weight	14 kg
Colour	●
Execution	Closed - 4 castors
Max. load	150 kg (unit - dynamic)
Max. stack	3 pieces




PB-1425/BR	HDPE
Ext. dim.	L 1040 x W 640 x H 800 mm
Int. dim.	L 930 x W 590 x H 515 mm
Capacity	285 litres
Weight	16 kg
Colour	●
Execution	Closed - 4 castors
Max. load	300 kg (unit - dynamic)
Max. stack	3 pieces



PB-1425/AR	HDPE
Ext. dim.	L 1200 x W 800 x H 950 mm
Int. dim.	L 1120 x W 750 x H 650 mm
Capacity	550 litres
Weight	25 kg
Colour	●
Execution	Closed - 4 castors
Max. load	300 kg (unit - dynamic)
Max. stack	2 pieces



PB-1400/AR	HDPE
Ext. dim.	L 1020 x W 640 x H 700 mm
Int. dim.	L 930 x W 590 x H 510 mm
Capacity	300 litres
Weight	15 kg
Colour	●
Execution	Vented base and sides - 4 castors
Max. load	100 kg (unit - dynamic) 300 kg static
Max. stack	3 pieces



PB-CD 2	HDPE
Lid for PB-1400/A(R), PB-1425/F(R) and PB-1425/B(R)	
Ext. dim.	L 1040 x W 640 mm
Weight	1,72 kg
Colour	●
PB-CD 9	Transparent version (for indoor use)



PB-CD 4	HDPE
Lid for PB-1425/A and PB-1425/AR	
Ext. dim.	L 1215 x W 815 mm
Weight	1,85 kg
Int. dim.	L 1200 x W 800 mm
Colour	●



Not suitable for liquids

Oblong universal crates

- ▶ Oblong universal stacking crates for multiple applications
- ▶ Closed base, vented sides
- ▶ Perfectly smooth innersides, hygienic and risk free for the content
- ▶ Colour: grey



PB-1425/L	HDPE
Ext. dim.	L 1060 x W 395 x H 295 mm
Int. dim.	L 1020 x W 355 x H 280 mm
Capacity	100 litres
Weight	4 kg
Execution	Base closed
Colour	●
Packing	12 pcs/block pallet



PB-1425/I	HDPE
Ext. dim.	L 1190 x W 490 x H 370 mm
Int. dim.	L 1145 x W 445 x H 350 mm
Capacity	180 litres
Weight	5,80 kg
Execution	Base closed
Colour	●
Packing	12 pcs/block pallet



i Ribbed base

IN THE PICTURE

Euronorm foldable multi-trip packaging

Euronorm foldable multi-trip packaging

- ▶ Material: PP
- ▶ 6 hinges
- ▶ Stack up to max. 3 packages
- ▶ **Compatible with Euronorm transport undercarriages & 100% flat pallets without edge**
- ▶ Ticketing possible



3 Euronorm dimensions



Lid (optional)



Smooth inner sides



6 hinges



Pallets see p. 86-96



Transport undercarriages see p. 38



EURONORM FOLDABLE MULTI-TRIP PACKAGING

800 x 600 / 1200 x 800 / 1200 x 1000 mm

- ▶ Foldable multi-trip packaging with 6 hinges according to Euronorm dimensions
- ▶ You can stack up to max. 3 packages and add a lid (optional)
- ▶ Compatible with Euronorm transport undercarriages & pallets
- ▶ Smooth inner sides; easy to clean
- ▶ **Perfectly stackable, both open or folded**
- ▶ Ticketing possible
- ▶ Colour: grey
- ▶ Suitable for: universal use, food industry, pharmacy (distribution), transport of samples, web shop logistics, ...



PB-PS6080F6	PP
Foldable multi-trip packaging with 6 hinges	
Ext. dim.	L 800 x W 600 x H 330 mm
Int. dim.	L 750 x W 560 x H 330 mm
Weight	5,8 kg
Colour	●
Load	500 kg static 300 kg dynamic



PB-PS6080D	REC PE
Lid for multi-trip packaging PB-PS6080F6	
Ext. dim.	L 820 x W 620 x H 95 mm
Int. dim.	L 813 x W 613 x H 76 mm
Weight	3,2 kg
Colour	●



Euronorm 800 x 600 mm transport undercarriages see p. 38



PB-PS1208F6	PP
Foldable multi-trip packaging with 6 hinges	
Ext. dim.	L 1200 x W 800 x H 330 mm
Int. dim.	L 1160 x W 760 x H 330 mm
Weight	8 kg
Colour	●
Load	500 kg static 300 kg dynamic



PB-PS1208D	REC PE
Lid for multi-trip packaging PB-PS1208F6	
Ext. dim.	L 1220 x W 820 x H 120 mm
Int. dim.	L 1205 x W 805 x H 96 mm
Weight	6 kg
Colour	●



PB-D8060E	PP + PA
Transport undercarriage with 4 standard swivel castors + galvanized forks	
Ext. dim.	L 800 x W 600 x H 200 mm
Colour	●
Packing	10 pcs/pallet



PB-PS1210F6	PP
Foldable multi-trip packaging with 6 hinges	
Ext. dim.	L 1200 x W 1000 x H 330 mm
Int. dim.	L 1160 x W 960 x H 330 mm
Weight	8,5 kg
Colour	●
Load	500 kg static 300 kg dynamic



PB-PS1210D	REC PE
Lid for multi-trip packaging PB-PS1210F6	
Ext. dim.	L 1227 x W 1027 x H 120 mm
Int. dim.	L 1215 x W 1015 x H 90 mm
Weight	6,8 kg
Colour	●



Consult us for load charges when piling

★ HINT

Multi-trip packaging compatible with flat Euro-norm pallets without edge

COLLAPSIBLE LARGE VOLUME BOXES

Smartbox series



- ▶ Optimal control of the available space
- ▶ Go from a minimal volume to a maximal volume in only 4 simple actions
- ▶ Fast built up, safe stacking and extremely functional
- ▶ For general industry and for agro-food applications
- ▶ Not suitable for liquids
- ▶ 5 to 12% extra space because of the specific construction of the sides
- ▶ **54 or 66% more free space in case of empty transportation (depending on model)**
- ▶ Material: polyethylene (HDPE) without metallic pieces, so 100% recyclable
- ▶ Completely smooth, hygienic inner sides, easy to clean
- ▶ Extra reinforcements; general stack resistance: 7000 kg
- ▶ Colour: ivory colour with black base
- ▶ Standard range: 2 dimensions, 2 heights, equipped with 2 runners
- ▶ **Many options: feet instead of 2 skids, lid, personalization, label holders, access door**
- ▶ On demand: with 3 runners (C3 and F3 series)
- ▶ **Not an article on stock**



CODE	EXT. DIM. (LxWxH open) mm	INT. DIM. (LxWxH open) mm	HEIGHT (closed) mm	CAPACITY (net)	COLOUR	DYNAM. LOAD	STATIC LOAD	PROPER WEIGHT	MAX. NUMBER BOXES per stack
"C" series: folding pallet boxes with closed sides & base with only a few drainage holes									
PB-1388C2	1200 x 800 x 805	1120 x 720 x 660	298	565 litres		650 kg	1625 kg	40,5 kg	10-11
PB-1389C2	1200 x 800 x 978	1120 x 720 x 833	470	695 litres		750 kg	1850 kg	48 kg	9-10
PB-1308C2	1200 x 1000 x 805	1120 x 920 x 660	298	720 litres		750 kg	1850 kg	46,5 kg	9-10
PB-1309C2	1200 x 1000 x 978	1120 x 920 x 833	470	905 litres		850 kg	2100 kg	55,5 kg	8-9
PB-1309C3-G	1200 x 1000 x 1200	1120 x 920 x 1055	692	1132 litres		1800 kg	4000 kg	69,2 kg	6-7
"F" series: folding pallet boxes with vented sides & vented base									
PB-1388F2	1200 x 800 x 805	1120 x 720 x 660	298	565 litres		650 kg	1625 kg	40,5 kg	10-11
PB-1389F2	1200 x 800 x 978	1120 x 720 x 833	470	695 litres		750 kg	1850 kg	48 kg	9-10
PB-1308F2	1200 x 1000 x 805	1120 x 920 x 660	298	720 litres		750 kg	1850 kg	46,5 kg	9-10
PB-1309F2	1200 x 1000 x 978	1120 x 920 x 833	470	905 litres		850 kg	2100 kg	55,5 kg	8-9
Lids for Smartbox series									
PB-CD 5	Lid 1215 x 815	800 x 1200	70	-		-	-	7,3 kg	-
PB-CD 1	Lid 1215 x 1015	1200 x 1000	70	-		-	-	8,8 kg	-



i
Option:
access door



i
Option:
3 skids



TRANSPORT UNDERCARRIAGES



TRANSPORT UNDERCARRIAGES

Euronorm 600 x 400 mm



ABS frame

- ▶ Transport undercarriages for euronorm crates 600 x 400 mm and 400 x 300 mm
- ▶ Frame made of impact-proof ABS
- ▶ Polyamide and fiberglass forks or S/S (PB-9999-4-INOX)
- ▶ S/S fixation materials (screws, ball-bearings, ...)
- ▶ Outlet openings in the corners
- ▶ Food safe material - TÜV & GS certified
- ▶ Castors: standard polyamide (nylon); except PB-9998-4: rubber castors (leaves no marks on the floor)
- ▶ **Load capacity: 250 kg (indicative)**
- ▶ Recess depth (28 mm) keeps containers perfectly in place
- ▶ Temperature resistant from -20°C to +90°C



PB-9999	ABS + PA
Transport undercarriage with 2 polyamide standard fixed and 2 swivel castors + polyamide forks	
Ext. dim.	L 620 x W 420 x H 155 mm
Colours	● ● ● ● ● ●
Packing	60 pcs/pallet



PB-9999-4	ABS + PA
Transport undercarriage with 4 standard polyamide swivel castors + polyamide forks	
Ext. dim.	L 620 x W 420 x H 155 mm
Colours	● ● ● ● ● ●
Packing	60 pcs/pallet



PB-9999-4-INOX	ABS + AISI
Transport undercarriage with 4 standard polyamide swivel castors + stainless steel forks	
Ext. dim.	L 620 x W 420 x H 155 mm
Colours	● ● ● ●
Packing	60 pcs/pallet



PB-9998-4	ABS + PA + RUBBER
Transport undercarriage with 4 rubber swivel castors + polyamide forks	
Ext. dim.	L 620 x W 420 x H 155 mm
Colours	● ● ● ● ● ●
Packing	60 pcs/pallet



PB-9997-4	ABS + PA
Transport undercarriage with grid structure, 4 standard polyamide swivel castors + polyamide forks	
Ext. dim.	L 620 x W 420 x H 155 mm
Colours	● ●
Packing	60 pcs/pallet



Accessories for transport trolleys



PB-9292	ABS
Set of 4 corner pieces for transport of conical bins 600 x 400 mm	
Colour	●
Packing	per set



PB-9090	METL
Pole for standard transport undercarriages	
Colours	●
Packing	per piece



TRANSPORT UNDERCARRIAGES

Budget Line Euronorm 600 x 400 mm



ABS frame

- ▶ Transport undercarriages for euronorm crates 600 x 400 mm and 400 x 300 mm
- ▶ Frame made of impact-proof ABS
- ▶ Galvanized forks
- ▶ S/S fixation materials (screws, ball-bearings, ...)
- ▶ Outlet openings in the corners
- ▶ Swivel castors (without brake) with rubber tread
- ▶ **Load capacity: 150 kg (indicative)**
- ▶ Recess depth (28 mm) keeps containers perfectly in place



PB-9999-4EE	ABS + RUBBER
Transport undercarriage with 4 rubber swivel castors + galvanized forks	
Ext. dim.	L 610 x W 410 x H 160 mm
Colours	● ● ● ● ●
Packing	80 pcs/pallet (CP1)



Euronorm stacking containers with optional hinged lid see p. 65

PP frame

- ▶ Transport undercarriages for euronorm crates 600 x 400 mm and 400 x 300 mm
- ▶ Frame made of polypropylene
- ▶ Galvanized forks
- ▶ Outlet openings in the corners
- ▶ Castors: standard polyamide (nylon)
- ▶ **Load capacity: 125 kg (indicative)**
- ▶ **Load capacity PB-9999-DS: 175 kg (indicative)**
- ▶ Recess depth (28 mm) keeps containers perfectly in place



PB-9999-4E	PP + GALVA
Transport undercarriage with 4 standard polyamide swivel castors + galvanized forks	
Ext. dim.	L 610 x W 410 x H 160 mm
Colours	● ● ● ● ●
Packing	32 pcs/pallet



PB-9999-2F	PP + GALVA
Transport undercarriage with 4 standard polyamide swivel castors (2 with brakes) + galvanized forks	
Ext. dim.	L 610 x W 410 x H 161 mm
Colours	● ● ● ● ●
Packing	32 pcs/pallet



PB-9999-DS	PP + GALVA
Transport undercarriage with 4 standard polyamide swivel castors (2 with brakes) + galvanized forks	
Ext. dim.	L 600 x W 400 x H 180 mm
Colour	●
Packing	25 pcs/pallet

TRANSPORT UNDERCARRIAGES

Euronorm 800 x 600 mm

PP frame

- ▶ Transport undercarriages for euronorm crates
800 x 600 mm and 600 x 400 mm
- ▶ Platform made of polypropylene
- ▶ Wheels and forks: galvanised
- ▶ Castors: standard polyamide (nylon); rubber where mentioned (leaves no marks on the floor)
- ▶ **Load capacity: 300 kg (indicative)**
- ▶ Recess depth keeps containers perfectly in place



PB-D8060E	PP + PA
Transport undercarriage with 4 standard swivel castors + galvanized forks	
Ext. dim.	L 800 x W 600 x H 200 mm
Colour	●
Packing	10 pcs/pallet



PB-D8060ERW	PP + RUBBER
Transport undercarriage with 4 rubber swivel castors + galvanized forks	
Ext. dim.	L 800 x W 600 x H 200 mm
Colour	●
Packing	10 pcs/pallet



Aluminium frame

- ▶ Transport undercarriages for euronorm crates
800 x 600 mm and 600 x 400 mm
- ▶ Aluminium profiles and stainless steel fixation materials
- ▶ Standard corners in ABS, forks made of polyamide and fiberglass
- ▶ Castors: standard polyamide (nylon)
- ▶ **Load capacity: 300 kg (indicative)**
- ▶ Recess depth keeps containers perfectly in place



PB-D8060	ALU + ABS + PA
Transport undercarriage with 4 standard swivel castors + galvanized forks	
Ext. dim.	L 800 x W 600 x H 155 mm
Colour	●
Packing	10 pcs/pallet

TRANSPORT UNDERCARRIAGES

Customization and separate castors



Customization

- ▶ Undercarriages made to measure for special dimensions of bins
- ▶ Minimum dimensions undercarriage: 400 x 400 mm (with PB-9696) or 300 x 300 mm (with PB-9696S)
- ▶ Maximum length or width: 1000 mm
- ▶ Aluminium profiles and stainless steel fixation materials
- ▶ Standard corners in ABS, forks made of polyamide and fiberglass
- ▶ Customization possible with other castors - spare parts on demand
- ▶ Load capacity: 250 kg (indicative)



PB-9696	ABS + PA
Corner with swivel castor (without brake)	
Dim.	210 x 210 mm / 150 x 150 mm
Colour	● ●
Min. dim.	400 x 400 mm



PB-9696S	ABS + PA
Corner with swivel castor (without brake)	
Dim.	165 x 165 mm / 105 x 105 mm
Colour	●
Min. dim.	300 x 300 mm



PB-PROFIL	ALU
Aluminium profile	
Dim.	customization
Colour	alu natural
Length	3,2 metres




PB-9595	ABS + PA
Corner with fixed castor (without brake)	
Dim.	210 x 210 mm / 150 x 150 mm
Colour	●

PB-9090S	METL
Customized pole for undercarriage	
Colour	●
Packing	per piece




ANTI-SLIP FLOOR TILES



ANTI-SLIP FLOOR TILES

Gastroplus®



- Professional tiles for floors in coldrooms, kitchens and general workspaces
- Vented, so water/moisture drains to the floor, but stocked goods stay dry**
- Easy to remove for cleaning
- Anti-slip, prevents from slipping, more safety
- Also usable outside coldrooms (-40°C to +60°C)
- Load capacity: 250 kg/m
- Ideal for stocking low above, but still off the ground (ideal for heavy elements)
- The perfect addition for standard racks which are placed in coldrooms
- Tiles can be mounted perfectly on to each other
- Cold and frost resistant
- Comfortable: lessens fatigue symptoms in feet and back while doing standing work**



PB-915	HDPE
Floor tile (hard)	
Ext. dim.	L 500 x W 500 x H 50 mm
Colours	● ● ○
Weight	1,90 kg
Extra	anti-slip
Packing	5 pcs/box - 100 pcs/pallet



PB-936	HDPE
Floor tile (hard)	
Ext. dim.	L 600 x W 600 x H 30 mm
Colours	● ○
Weight	1,70 kg
Extra	anti-slip
Packing	per piece - 150 pcs/pallet

i Simply clicks into one another



PB-936S	HDPE
Access tile for floor tile PB-936	
Ext. dim.	L 600 x W 150 x H 30 mm
Colours	● ○
Weight	0,40 kg
Extra	anti-slip
Packing	per piece

DUNNAGE RACKS

Gastroplus®

- Solid dunnage rack for coldrooms (pos. & neg. temperatures), kitchen and workflow (hospitals, supermarkets, ...)
- Ergonomic design - round corners
- Easy cleaning - fast installation
- Ventilated surface (slot width 4 cm)
- Double-sided construction - solid and durable
- For multiple purposes
- NSF and EU approved



E-2 crates
see p. 136



PB-DR915	LLDP
Ext. dim.	L 910 x W 555 x H 300 mm
Colour	●
Weight	5 kg
Load capacity	900 kg
Info	Height under arch: 180 mm (for the purpose of cleaning)



PB-DR1220	LLDP
Ext. dim.	L 1210 x W 555 x H 330 mm
Colour	●
Weight	7 kg
Load capacity	1800 kg
Info	Height under arch: 180 mm (for the purpose of cleaning)



PB-DR1525	LLDP
Ext. dim.	L 1525 x B 555 x H 330 mm
Colour	●
Weight	14,50 kg
Load capacity	1800 kg
Info	Height under arch: 180 mm (for the purpose of cleaning)

RETENTION BINS



RETENTION BINS

With or without grid

- ▶ Various professional retention bins and spill pallets for general industry and transport
- ▶ Protection of environment by prevention, avoid expensive clean-ups
- ▶ Relief of leaking oils and greases, chemical substansions or other environmental polluting liquids
- ▶ Models with spill control metal grid keep your products clear of spillage



PB-2561-0	PE
Retention bin	
Capacity	20 litres
Ext. dim.	L 600 x W 400 x H 110 mm
Weight	1,50 kg
Colour	●
Execution	without grid



PB-2562-0	PE
Retention bin	
Capacity	50 litres
Ext. dim.	L 800 x W 600 x H 130 mm
Weight	2,50 kg
Colour	●
Execution	without grid



PB-2561-1	PE
Retention bin with grid	
Capacity	16 litres
Ext. dim.	L 600 x W 400 x H 110 mm
Weight	5 kg
Colour	●
Execution	with galvanised grid



PB-2562-1	PE
Retention bin with grid	
Capacity	41 litres
Ext. dim.	L 800 x W 600 x H 130 mm
Weight	9 kg
Colour	●
Execution	with galvanised grid

i Solid grid - galvanised and removable



PB-2563-0	PE
Retention bin	
Capacity	140 litres
Ext. dim.	L 1230 x W 830 x H 160 mm
Weight	6,20 kg
Colour	●
Execution	without grid



PB-2500	HDPE
Retention bin	
Capacity	220 litres
Ext. dim.	L 1220 x W 820 x H 270 mm
Weight	10 kg
Colour	●
Execution	without grid



PB-2506	HDPE
Retention bin	
Capacity	220 litres
Ext. dim.	L 1220 x W 820 x H 420 mm
Weight	12 kg
Colour	●
Execution	without grid



PB-2563-1	PE
Retention bin with grid	
Capacity	120 litres
Ext. dim.	L 1230 x W 830 x H 160 mm
Weight	22 kg
Colour	●
Execution	with galvanised grid



PB-2501	HDPE
Retention bin with grid	
Capacity	200 litres
Ext. dim.	L 1220 x W 820 x H 270 mm
Weight	30 kg
Colour	●
Execution	with galvanised grid



PB-2507	HDPE
Retention bin with grid	
Capacity	215 litres
Ext. dim.	L 1220 x W 820 x H 420 mm
Weight	30 kg
Colour	●
Execution	with galvanised grid

RETENTION BINS

Table model

- ▶ Made of 100% recyclable, chemical resistant, UV-stabilised PE
- ▶ Grid with ergonomic handles
- ▶ Suitable for labs, universities, schools, garages, ...
- ▶ Antiskid surface
- ▶ **Usable with or without grid**
- ▶ Nestable for economical transport and storage
- ▶ Easy to clean



PB-720020	PE
Spill pallet with yellow grid - 600 x 400 mm	
Capacity	20 litres
Ext. dim.	L 600 x W 400 x H 155 mm
Weight	3 kg
Charge	max. 50 kg
Colour	●
Execution	with yellow PE grid



PB-720040	PE
Spill pallet with yellow grid - 800 x 600 mm	
Capacity	40 litres
Ext. dim.	L 800 x W 600 x H 155 mm
Weight	6,5 kg
Charge	max. 100 kg
Colour	●
Execution	with yellow PE grid



HD RETENTION BINS

With or without grid



- ▶ Made of HDPE (recycled)
- ▶ 100% recyclable
- ▶ User-friendly and suitable to use with Europallets
- ▶ Antiskid surface
- ▶ **Nestable for economic transport and storage**
- ▶ The retention bins can be connected with connection pieces (floor system)



PB-CEM10884	HDPE REG
Retention bin	
Volume	25 litres
Ext. dim.	L 600 x W 400 x H 165 mm
Weight	1,80 kg
Colour	●
Execution	without grid



PB-CEM10886	HDPE REG
Retention bin	
Volume	35 litres
Ext. dim.	L 800 x W 400 x H 165 mm
Weight	2,20 kg
Colour	●
Execution	without grid



PB-CEM10888	HDPE REG
Retention bin	
Volume	60 litres
Ext. dim.	L 800 x W 600 x H 165 mm
Weight	3,00 kg
Colour	●
Execution	without grid



PB-CEM10884R	HDPE REG
Retention bin with grid	
Volume	25 litres
Ext. dim.	L 600 x W 400 x H 180 mm
Weight	3,70 kg
Colour	●
Stat. charge	125 kg
Execution	with PE grid



PB-CEM10886R	HDPE REG
Retention bin with grid	
Volume	35 litres
Ext. dim.	L 800 x W 400 x H 180 mm
Weight	4,80 kg
Colour	●
Stat. charge	160 kg
Execution	with PE grid



PB-CEM10888R	HDPE REG
Retention bin with grid	
Volume	60 litres
Ext. dim.	L 800 x W 600 x H 180 mm
Weight	6,80 kg
Colour	●
Stat. charge	250 kg
Execution	with PE grid



HD RETENTION BINS

With or without grid



- ▶ Made of HDPE (recycled)
- ▶ 100% recyclable
- ▶ User-friendly and suitable to use with Europallets
- ▶ Antiskid surface
- ▶ Nestable for economic transport and storage
- ▶ The retention bins can be connected with connection pieces (floor system)



PB-CEM10890	HDPE REG
Retention bin	
Volume	120 litres
Ext. dim.	L 1200 x W 800 x H 165 mm
Weight	5,20 kg
Colour	●
Execution	without grid




PB-CEM10892	HDPE REG
Retention bin	
Volume	250 litres
Ext. dim.	L 1600 x W 1200 x H 165 mm
Weight	10,50 kg
Colour	●
Execution	without grid



PB-CEM10890R	HDPE REG
Retention bin with grid	
Volume	120 litres
Ext. dim.	L 1200 x W 800 x H 180 mm
Weight	12,80 kg
Colour	●
Stat. charge	500 kg
Execution	with PE grid




PB-CEM10892R	HDPE REG
Retention bin with grid	
Volume	250 litres
Ext. dim.	L 1600 x W 1200 x H 180 mm
Weight	25,70 kg
Colour	●
Stat. charge	1000 kg
Execution	with PE grid



Accessories

CODE	Description	Dimension (LxWxH)
1. PB-CEM10895	PE grid (charge 80 kg)	400 x 400 x 170 mm
2. PB-CEM10894	PE grid (charge 125 kg)	600 x 400 x 170 mm
3. PB-CEM10714	Access ramp (charge 300 kg)	1280 x 800 x 200 mm
4. PB-CEM10721	Short connecting rail	1140 x 15 x 15 mm
5. PB-CEM10722	Long connecting rail	1540 x 15 x 15 mm
6. PB-CEM10723	Cross connector	115 x 115 x 35 mm



HD RETENTION BINS

For drums or multi-use



- ▶ Made of chemical resistant HDPE (recycled)
- ▶ 100% recyclable
- ▶ User-friendly and suitable to use with Europallets
- ▶ Capacity without grid: 250 litres; with grid: 224 litres
- ▶ Suitable for drums up to 224 litres
- ▶ **Multiple executions: standard, on 4 feet or on 2 skids**



PB-CEM8424	HDPE REG
Retention bin	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 330 mm
Weight	16 kg
Colour	●
Stat. charge	600 kg
Execution	without grid



PB-CEM8424F	HDPE REG
Retention bin on 4 feet	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 430 mm
Weight	18 kg
Colour	●
Stat. charge	600 kg
Execution	without grid



PB-CEM8424S	HDPE REG
Retention bin on 2 skids	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 430 mm
Weight	20 kg
Colour	●
Stat. charge	600 kg
Execution	without grid



PB-CEM8424ST	HDPE REG
Retention bin with galvanised grid	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 330 mm
Weight	29 kg
Colour	●
Stat. charge	600 kg
Execution	with galvanised grid



PB-CEM8424FST	HDPE REG
Retention bin on 4 feet with galvanised grid	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 430 mm
Weight	31 kg
Colour	●
Stat. charge	600 kg
Execution	with galvanised grid



PB-CEM8424SST	HDPE REG
Retention bin on 2 skids with galvanised grid	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 430 mm
Weight	33 kg
Colour	●
Stat. charge	600 kg
Execution	with galvanised grid

HD RETENTION BINS

For drums or multi-use



- ▶ Made of chemical resistant HDPE (recycled)
- ▶ 100% recyclable
- ▶ User-friendly and suitable to use with Europallets
- ▶ Capacity without grid: 250 litres; with grid: 224 litres
- ▶ **Suitable for drums up to 224 litres**
- ▶ Multiple executions: standard, on 4 feet or on 2 skids



PB-CEM8424PE	HDPE REG
Retention bin with PE grid	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 340 mm
Weight	29 kg
Colour	●
Stat. charge	600 kg
Execution	with PE grid




PB-CEM8424FPE	HDPE REG
Retention bin on 4 feet with PE grid	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 440 mm
Weight	31 kg
Colour	●
Stat. charge	600 kg
Execution	with PE grid



PB-CEM8424SPE	HDPE REG
Retention bin on 2 skids with PE grid	
Volume	250 litres
Ext. dim.	L 1205 x W 805 x H 440 mm
Weight	33 kg
Colour	●
Stat. charge	600 kg
Execution	with PE grid



1



2

Accessories

CODE	Description	Dimensions (LxWxH)
1. PB-CEM8324	Galvanised grid	1200 x 800 x 170 mm
2. PB-CEM8325	PE grid	1200 x 800 x 170 mm
3. PB-CEM8627	Rack system attachment (without retention bin)	1205 x 805 x 1290 mm



3

RETENTION BINS

For drums or multi-use

- ▶ Material: HDPE
- ▶ Capacity: 2 drums
- ▶ With removable grid
- ▶ **Only statical use**
- ▶ Compatible with most forklifts & pallet trucks
- ▶ **Drums need to be removed before transportation**
- ▶ 100% recyclable



PB-710240	HDPE
Retention pallet with removable grid (1 drum)	
Capacity	230 litres
Ext. dim.	L 1000 x W 600 x H 680 mm
Weight	19,5 kg
Stat. charge	max. 400 kg
Colour	●
Execution	with black PE grid



PB-710250	HDPE
Retention pallet with removable grid (2 drums)	
Capacity	250 litres
Ext. dim.	L 1300 x W 750 x H 440 mm
Weight	22 kg
Stat. charge	max. 650 kg
Colour	●
Execution	with black PE grid



Customized retention bins are also available
contact us for more information

RETENTION BINS

For drums or multi-use

- ▶ Made of chemical resistant, UV-stabilised PE
- ▶ Capacity: 4 drums or multiple smaller drums
- ▶ PB-720250 nestable for economic transport and storage
- ▶ **Only static use**
- ▶ Compatible with most forklifts
- ▶ **Drums need to be removed before transportation**
- ▶ 100% recyclable



PB-710450	HDPE
Retention pallet with removable grid	
Capacity	485 litres
Ext. dim.	L 1380 x W 1290 x H 480 mm
Weight	36 kg
Stat. charge	max. 1250 kg
Colour	●
Execution	with black PE grid



PB-720250	HDPE
Retention pallet with removable grid	
Capacity	249 litres
Ext. dim.	L 1460 x W 1460 x H 305 mm
Weight	34 kg
Stat. charge	max. 1250 kg
Colour	●
Execution	with black PE grid



RETENTION BINS

For IBC tanks, not nestable

- ▶ Bund stands suitable for IBC's (Intermediate Bulk Containers) of maximum 1000 L
- ▶ Polyethylene execution with high chemical resistance
- ▶ Easy to remove and to maintain
- ▶ **IBC containers need to be removed before transportation**
- ▶ Durable, ergonomic construction - corrosion free
- ▶ IBC tanks on the pictures are not included (see pages 230-231 for our complete range of IBC tanks)



710010	HDPE
Single IBC bund without platform	
Volume	1130 litres
Ext. dim.	L 1450 x W 1450 x H 1000 mm
Weight	75 kg
Stat. charge	max. 2000 kg
Colour	●
Execution	without PE grid



710011	HDPE
Single IBC bund with platform	
Volume	1100 litres
Ext. dim.	L 1450 x W 1450 x H 1000 mm
Weight	105 kg
Stat. charge	max. 2000 kg
Colour	●
Execution	with removable PE grid



710021	HDPE
Twin IBC bund with platform	
Volume	1100 litres
Ext. dim.	L 2450 x W 1450 x H 575 mm
Weight	120 kg
Stat. charge	max. 4000 kg
Colour	●
Execution	with removable PE grid



RETENTION BINS

For IBC tanks, nestable

- ▶ Bund stands suitable for IBC's (Intermediate Bulk Containers) of maximum 1000 L
- ▶ Made of 100% recyclable, chemical resistant, UV-stabilised PE
- ▶ Easy to remove and to maintain
- ▶ **IBC containers need to be removed before transporation**
- ▶ Nestable for economic transport and storage
- ▶ Low height of use (700 mm)
- ▶ **ATTENTION: only to be used when grid and internal supports are installed (included)**



PB-720011	HDPE
Single IBC bund with platform	
Volume	1260 litres
Ext. dim.	L 1680 x W 1680 x H 700 mm
Weight	86 kg
Stat. charge	max. 2500 kg
Colour	●
Execution	with removable black PE grid



PB-720021	HDPE
Twin IBC bund with platform	
Volume	1200 litres
Ext. dim.	L 2260 x W 1460 x H 575 mm
Weight	115 kg
Stat. charge	max. 3000 kg
Colour	●
Execution	with removable black PE grid



PB-CEM10951	HDPE
Single IBC bund with platform	
Volume	1100 litres
Ext. dim.	L 1620 x W 1170 x H 880 mm
Weight	55 kg
Stat. charge	max. 1500 kg
Colour	●
Execution	with black PE grid



RETENTION ELEMENTS

Accessories

- ▶ Funnel for all standard 200-220 litres barrels
- ▶ Large volume - avoids overflow
- ▶ Stainless steel filter included (PB-730170)
- ▶ Made of 100% recyclable, chemical resistant, UV-stabilised PE
- ▶ Lid to prevent contamination of amongst others rain water, ... (PB-730170)



PB-730170	PE
Funnel for barrel of 220 litres	
Volume	75 litres
Ext. dim.	L 620 x W 620 x H 265 mm
Weight	3,8 kg
Colour	●
Execution	lid included



PB-710170	PE
Funnel for barrel of 220 litres	
Ext. dim.	∅ 550 mm
Int. dim.	∅ 480 mm
Colour	●
Info	also available as lid easy filling of barrels with hermetic sealing cap




- ▶ Modular system for easy access to retention pallets on different heights
- ▶ Quick, easy and safe handling by 1 person
- ▶ Suitable for most rollers
- ▶ Ergonomic slope of 11°
- ▶ Antiskid surface
- ▶ Easy to clean



PB-720JR1	HDPE
Modular ramp - with slope	
Ext. dim.	L 1000 x W 750 x H 150 mm
Weight	9 kg
Load	max. 450 kg
Colour	●



PB-720JRB1	HDPE
Support for ramp	
Ext. dim.	L 795 x W 750 x H 165 mm
Weight	9 kg
Load	max. 450 kg
Colour	●



	with slope	without slope	mm	mm
A	1	0	150	1000
B	2	1	300	1750
C	3	3	450	2500



RETENTION ELEMENTS

Sump pallets & tiles for barrels or multi-use

- ▶ Bottom protecting sump pallets and tiles
- ▶ **For barrels or multi-use (jars, pots, jerrycans, bottles, buckets ...)**
- ▶ Safe anti-slip surfaces
- ▶ Maintenance friendly (with pressure washer) & practical in use
- ▶ Long life time & ecological
- ▶ Space-saving: empty stackable
- ▶ Suitable for oils and greases, chemical products, waste products, cleaners, ...



PB-510100	PE
Sump tile (not UN-approved)	
Capacity	2,5 litres per tile
Ext. dim.	L 508 x W 508 x H 30 mm
Weight	1,40 kg
Load	max. 2500 kg
Colour	●
Info	stackable with each other



PB-510120	PE
Sump pallet	
Capacity	35 litres
Ext. dim.	L 1200 x W 800 x H 225 mm
Weight	16 kg
Load	max. 700 kg
Colours	● ●
Info	empty stackable in each other



PB-510150	PE
Retentiepallet with grid	
Capacity	150 litres
Ext. dim.	L 1250 x W 850 x H 230 mm
Weight	16 kg
Load	500 kg dyn. / 1500 kg stat.
Colour	● (grid ●)

